Subject index

age data, 233
albite porphyroblasts, 519
Alpine Fault Zone, 21
analytical electron microscopy (AEM), 601
anatexis, 291
andalusite–kyanite–andalusite, 661
Appalachian Mountains, 433
Appalachian orogen, 519
$^{40}Ar/^{39}Ar$ UV laser probe dating, 197
Archaean, 583
Arunta Inlier, 373, 739
Avalon terrane, 519

Blue Ridge province, 433
blueschists, 233
boron, 61
brines, 531
Buchan-type metamorphism, 99
Bushveld Complex, 311

C and O isotopes, 395
Caribbean, 699
coalescence, 269
Coast Belt, 121
coesite, 531
contact aureole, 121
contact metamorphism, 311, 351, 645
cordierite growth, 155
cordierite–spinel, 311
corona, 497
Cretaceous orogeny, 197
crustal thickening, 699

Dalradian, 99
Damara orogen, 77
decompression, 249
deformation, 351
dehydration, 165
diffusion, 33, 179
diffusion-limited aggregation (DLA), 155
disequilibrium, 179
doming, 717
Dora-Maira Massif, 33
dykes, 627

EBSD, 269
eclogite, 165, 233, 433, 497, 531, 609
eclogite facies, 3
eclogite facies metamorphism, 33
equilibration, 635
equilibrium thermodynamics, 33
exhumation, 233
extension, 197

fault rocks, 249
fibres, 217
fluid flow, 21
fluid inclusions, 165, 531
fluid infiltration, 395

Foothills Terrane, 351
fracturing, 549

garnet, 179, 269, 455
garnet granulite, 549
garnet Sm–Nd chronometry, 679
geochronology, 77
geothermobarometry, 121
grain boundary, 269, 291
granulites, 373, 609
granulite facies, 3, 739
Greenland Caledonides, 497
greenstone, 583
growth, 179
growth rate, 455

H_2O content, 445
halogens, 165
halogen fractionation, 165
heat advection, 717
high-Al graphitic pelites, 661
high-grade terrane, 249
high-MgAl granulite metasomatism, 563
high-temperature metamorphism, 61
high-X_{co2}, 583
HP–LT metamorphism, 479, 519
humite-marbles, 395
hydration, 165
hydrothermal metamorphism/alteration, 583

image analysis, 179
isotopic zonation, 395

jadeite quartzite, 531

Karakorum, 717
kenetics, 155, 179
KFMASH, 329
kyanite, 455, 601

lower crust, 549
low-pressure metamorphism, 679
low-P high-T metamorphism, 739
Marble Hall, 311
magma accumulation, 627
magma ascent, 627
magma batches, 627
matrix correction, 635
medium-pressure high temperature gneisses, 717
melt distribution, 291
melt segregation, 291
metagabbro, 497
metamorphic core complex, 197
metamorphism, 411
metamorphic fluids, 3
metapelites, 121
metapelitic assemblages, 329
metapelitic granulites, 45
metastability, 609
microcontinent collision, 411
migmatite, 61, 77, 99, 739
mineral zoning, 635

© Blackwell Science Inc., 0263-4929/01 $15.00

misorientation, 269
MnKFMASH, 329

NaKFMASH, 329
NCKFMASH system, 139, 661
New Zealand, 21
North Dabie Shan, 3
numerical experiments, 217

Oman, 233
overprint zoning, 455

Palaeozoic, 373
partial melting, 61, 99, 549, 739
partial melting equilibria, 139
pelite melting, 699
petrogenetic grid, 45, 99
phase diagrams, 329
phengite, 479
Pilbara Craton, 583
Pinos Island, 699
plagioclase replacement, 497
porphyroblast, 269, 351
power-law behaviour, 155
prograde and retrograde paths, 661
Proterozoic Eastern Ghats Belt, India, 563
pseudosection, 645
P–T and *T–X* psuedosections, 139
P–T conditions, 249
P–T estimates, 479
P–T grids, 661
P–T path, 329, 445
P–T–t path, 411, 645
pyrophyllite, 479

Raobazhai complex, 3
reaction kenetics, 33
retrograde metamorphism, 433

Saualpe–Kpralpe crystalline basement, 679
Sanbagawa-type metamorphism, 519
seamount subduction, 433
Shackleton Range, 329
shear zones, 249
SHRIMP, 373
slab breakoff, 717
Sm–Nd garnet, 77
Sm–Nd garnet ages, 645
South Island GeopHysical Transects (SIGHT) programme, 21
southern India, 395
spatial statistics, 155
spiral zoning, 455
stable isotopes, 21
strain analysis, 217
strain fringe, 271
staurolite, 601
subduction, 233
surface energy, 269
symplectite, 311

Tananao metamorphic complex, 601
Taiwan, 601
tectonics, 351
tectonic extension, 699
thermobarometry on relic-assemblages, 679
THERMOCALC, 139, 445
thermodynamic model, 139
tourmaline breakdown, 61
tschermak, 479
Turkey, 411
two-pyroxene hornblende granulite, 549

UHT metamorphism, 45, 563
U–Pb geochronology, 373
U–Pb monzanite, 77

Western Carpathians, 197
Western Gneiss Region, 609
wrench tectonics, 411

xenolith, 563
X-ray map, 635

Yukon Territory, 121

zoning, 179, 269

Author index

Abbott, R. N. & Greenwood, J. P. Retrograde metamorphism of eclogite in the southern Appalachian Mountains, U.S.A. – a case involving seamount subduction, 433
Aerden, D. G. A. M. *see* Koehn, D.
Agard, P., Vidal, O. & Goffé, B. Interlayer and Si content of phengite in *HP–LT* carpholite-bearing metapelites, 479
Arboleya, M. L. *see* Martinez, F. J.
Austrheim, H. *see* Svensen, H.
Austrheim, H. *see* Wain, A. L.

Banks, D. A. *see* Svensen, H.
Barr, S. M. *see* White, C. E.
Bons, P. D. *see* Koehn, D.
Bons, P. D., Dougherty-Page, J. & Elburg, M. A. Stepwise accumulation and ascent of magmas, 627
Bröcker, M. *see* El-Shazly, A. K.
Bruno, M., Compagnoni, R. & Rubbo, M. The ultra-high pressure coronitic and pseudomorphous reactions in a metagranodiorite from the Brossasco-Isasca Unit, Dora-Maira Massif, western Italian Alps: a petrographic study and equilibrium thermodynamic modelling, 33
Buick, I. S., Miller, J. A., Williams, I. S. & Cartwright, I. Ordovician high-grade metamorphism of a newly-recognised late Neoproterozoic terrane in the northern Harts Range, central Australai, 373

Calvert, A. *see* El-Shazly, A. K.
Cartwright, I. *see* Buick, I. S.
Chacko, T. *see* Mezger, J. E.
Chu, H. T. *see* Hwang, S. L.
Clarke, G. L., Daczko, N. R. and Nockolds, C. A method for applying matrix corrections to X-ray intensity maps using the Bence–Albee algorithm and Matlab, 635
see Daczko, N. R.
Compagnoni, R. *see* Bruno, M.
Cosca, M. *see* Janák, M.

Daczko, N. R., Clarke, G. L. & Klepeis, K. A. Transformation of two-pyroxene hornblende granulite to garnet granulite involving simultaneous melting and fracturing of the lower crust, Fiordland, New Zealand, 549
see Clarke, G. L. 635
Daniel, C. G. *see* Spear, F. S.
Dasgupta, S. *see* Rickers, K.
De Waal, S. A. *see* Pitra, P.
Dilek, Y. *see* Whitney, D. L.
Dougherty-Page, J. *see* Bons, P. D.
Droop, G. T. R. *see* Johnson, T. E.

Elburg, M. A. *see* Bons, P. D.
El-Shazly, A. K., Bröcker, M., Hacker, B. & Calvert, A. Formation and exhumation of blueschists and eclogites from NE Oman: new perspectives from Rb-Sr and ^{40} Ar/^{39}Ar dating, 233
Erdmer, P. *see* Mezger, J. E.

Fayon, A. K. *see* Whitney, D. L.
Frey, M. *see* Janák, M.
Fu, B., Touret*, J. L. R. & Zheng, Y.F. Fluid inclusions in coesite-bearing eclogites and jadeite quartzite at Shuanghe, Dabie Shan (China), 531

García-Casco, A., Torres-Roldán, R. L., Millán, G., Monié, P. & Haissen, F. High-grade metamorphism and hydrous melting of metapelites in the Pinos terrane (W Cuba): Evidence for crustal thickening and extension in the northern Caribbean collisional belt, 699
Gerya, T. V. *see* Smit, C. A.
Gilotti, J. A. *see* Lang, H. M.
Goffé, B. *see* Agard, P.
Goldberg, S. A. *see* Stowell, H. H.
Greenwood, J. P. *see* Abbott, R. N.
Guillot, S. *see* Rolland, Y.
Guiraud, M, Powell, R. & Rebay, G. H_2O in metamorphism and unexpected behaviour in the preservation of metamorphic mineral assemblages, 445

Habler, G. & Thöni, M. Preservation of permo-triassic low-pressure assemblages in the cretaceous high-pressure metamorphic Saualpe crystalline basement (Eastern Alps, Austria), 679
Hacker, B. *see* El-Shazly, A. K.
Haissen, F. *see* García-Casco, A.
Harley, S. L. *see* Mcdade, P.
Harris, C. *see* Vry, J. K.
Hoefs, J. *see* Xiao, Y. L. D.
Holland, T. J. B. *see* White, R. W.
Hudson*, N. F. C. *see* Johnson, T. E.
Hwang, S. L., Yui, T. F., Chu, H. T. & Shen, P. Submicron polyphase inclusions in garnet from the Tananao Metamorphic Complex, Taiwan: a key to unravelling otherwise unrecognized metamorphic events, 601

Jamieson, R. A. *see* White, C. E.
Jamtveit, B. *see* Svensen, H.
Janák, M., Plašienka, D., Frey, M., Cosca, M., Schmidt, S. T., Lupták, B. & Méres, Š. Cretaceous evolution of a metamorphic core complex, the Veporic unit, Western Carpathians (Slovakia): *P-T* conditions and *in situ* ^{40}Ar/^{39}Ar UV laser probe dating of metapelites, 197
Johnson, T. E., Hudson*, N. F. C. & Droop, G. T. R. Partial-melting in the Inzie Head gneisses: the role of water and a petrogenetic grid in KFMASH applicable to anatectic pelitic migmatites, 99

Jung, S. & Mezger, K. Geochronology in migmatites – A Sm-Nd, U-Pb and Rb-Sr study from the Proterozoic Damara belt (Namibia); implications for polyphase development of migmatites in high-grade terranes, 77

Kawakami, T. Tourmaline breakdown in the migmatite zone of the Ryoke metamorphic belt, SW Japan, 61
Kitajima, K., Maruyama, S., Utsunomiya, S. & Liou, J. G. Seafloor hydrothermal alteration at Archean mid-ocean ridge, 583
Klepeis, K. A. *see* Daczko, N. R.
Koehn, D., Aerden, D. G. A. M., Bons, P. D. & Passchier, C. W. Computer experiments to investigate complex fibre patterns in natural antiaxial strain fringes, 217

Lang, H. M. & Gilotti, J. A. Plagioclase replacement textures in partially eclogitized gabbros from the sanddal mafic-ultramafic complex, Greenland Caledonides, 497
Li, S. *see* Xiao, Y. L.
Liou, J. G. *see* Kitajima, K.
Lupták, B. *see* Janák, M.

Maheo, G. *see* Rolland, Y.
Martinez, F. J., Reche, J. & Arboleya, M. L. P-T modelling of the andalusite-kyanite-andalusite sequence and related assemblages in high-Al graphitic pelites. Prograde and retrograde paths in a late kyanite belt in the Variscan Iberia, 661
Maruyama, S. *see* Kitajima, K.
Mcdade, P. & Harley, S. L. A petrogenetic grid for aluminous granulite facies metapelites in the KFMASH system, 45
Méres, Š. *see* Janák, M.
Mezger, J. E., Chacko, T. & Erdmer, P. Metamorphism at a late Mesozoic accretionary margin: a study from the Coast Belt of the North American Cordillera, 121
Mezger, K. *see* Jung, S.
Millán, G. *see* García-Casco, A.
Miller, J. A. *see* Buick, I. S.
Miyazaki, K. Heterogeneous growth of cordierite in low *P/T* Tsukuba metamorphic rocks from central Japan, 155
Monié, P. *see* García-Casco, A.

Nockolds, C. *see* Clarke, G. L. 635

Ouderkirk, K. A. *see* Stowell, H. H.

Passchier, C. W. *see* Koehn, D.
Paterson, S. R. & Vernon, R. H. Inclusion trail patterns in porphyroblasts from the Foothills Terrane, California: a record of orogenesis or local strain heterogeneity?, 351
Pecher, A. *see* Rolland, Y.
Perchuck, L. L. *see* Smit, C. A.
Peruzzo, L. *see* Spiess, R.
Pitra, P. & De Waal, S. A. High-temperature low-pressure metamorphism and development of prograde symplectites, Marble Hall Fragment, Bushveld Complex (South Africa), 311
Erratum, 761
Plašienka, D. *see* Janák, M.
Powell, R. *see* Guiraud, M.
Powell, R. *see* White, R. W.
Prior, D. J. *see* Spiess, R.

Raith, J. G. *see* Scrimgeour, I.
Raith, M. M. *see* Rickers, K.
Rebay, G. *see* Guiraud, M.
Reche, J. *see* Martinez, F. J.

Reynolds, P. H. *see* White, C. E.
Rickers, K., Raith, M. M. & Dasgupta, S. Multistage reaction textures in xenolithic high-MgAl granulites at Anakapalle Eastern Ghats Belt India: examples of contact polymetamorphism and infiltration-driven metasomatism, 563
Rivers, T. *see* Yang, P.
Robinson., Editorial – Ron Vernon steps down, 1
Rolland, Y., Maheo, G., Guillot, S. & Pecher, A. Tectono-metamorphic evolution of the Karakorum Metamorphic complex (Dassu-Askole area, NE Pakistan): exhumation of mid-crustal H*T*-M*P* gneisses in a convergent context, 717
Rubbo, M. *see* Bruno, M.

Santosh, M. *see* Satish-Kumar, M.
Satish-Kumar, M., Wada, H., Santosh, M. & Yoshida, M. Fluid-rock history of granulite facies humite-marbles from Ambasamudram, southern India, 395
Sawyer, E. W. Melt segregation in the continental crust: distribution and movement of melt in anatectic rocks, 291
Schmidt, S. T. *see* Janák, M.
Scrimgeour, I., Smith, J. B. & Raith, J. G. Palaeoproterozoic high-*T*, low-*P* metamorphism and dehydration melting in metapelites from the Mopunga Range, Arunta Inlier, central Australia, 739
Shen, P. *see* Hwang, S. L.
Smit, C. A., Van Reenan, D. D., Gerya, T. V. & Perchuck, L. L. *P-T* conditions of decompression of the Limpopo high-grade terrane:record from shear zones, 249
Smith, J. B. *see* Scrimgeour, I.
Spear, F. S. & Daniel, C. G. Diffusion control of garnet growth, Harpswell Neck, Maine, USA, 179
Spiess, R., Peruzzo, L., Prior, D. J. & Wheeler, J. Developement of garnet porphyroblasts by multiplenucleation, coalescence and boundary misorientation-driven rotations, 269
Storkey, A. C. *see* Vry, J. K.
Stowell, H. H., Taylor, D. L., Tinkham, D. K., Goldberg, S. A. & Ouderkirk, K. A. Contact metamorphic *P-T-t* paths from Sm-Nd garnet ages, phase equilibria modeling, and thermobarometry: Garnet Ledge, south-eastern Alaska, USA, 645
Svensen, H., Jamtveit, B., Banks, D. A. & Austrheim, H. Halogen contents of eclogite facies fluid inclusions and minerals: Caledonides, western Norway, 165

Taylor, D. L. *see* Stowell, H. H.
Teyssier, C. *see* Whitney, D. L.
Thöni, M. *see* Habler, G.
Tinkham, D. K. *see* Stowell, H. H.
Torres-Roldán, R. L. *see* García-Casco, A.
Touret, J. L. R. *see* Fu, B.

Utsunomiya, S. *see* Kitajima, K.

Van Der Kerkhof, A. M. *see* Xiao, Y. L.
Van Reenan, D. D. *see* Smit, C. A.
Vernon, R. H. *see* Paterson, S. R.
Vidal, O. *see* Agard, P.
Vry, J. K., Storkey, A. C. & Harris, C. Role of fluids in the metamorphosis of the Alpine Fault Zone, New Zealand, 21

Wada, H. *see* Satish-Kumar, M.
Wain, A. L., Waters*, D. J. & Austrheim, H. Metastability of granulites and processes of eclogitisation in the UHP region of Western Norway, 609
Waters*, D. J. *see* Wain, A. L.
Wheeler, J. *see* Spiess, R.
White, C. E., Barr, S. M., Jamieson, R. A. & Reynolds, P. H. Neoproterozoic high-pressure/low-temperature metamorphic rocks in the Avalon terrane, southern New Brunswick, Canada, 519
White, R. W., Powell, R. & Holland, T. J. B. Calculation of partial melting equilibria in the system Na_2O-CaO-K_2O-FeO-MgO-Al_2O_3-SiO_2-H_2O (NCKFMASH), 139
Whitney, D. L., Teyssier, C., Dilek, Y. & Fayon, A. K. Metamorphism of the Central Anatolian Crystalline Complex, Turkey: influence of orogen-normal collision vs. wrench-dominated tectonics on P-T-t paths, 411
Williams, I. S. *see* Buick, I. S.

Xiao, Y. L., Hoefs, J., Van Der Kerkhof, A. M. & Li, S. Geochemical constraints of the eclogite and granulite facies metamorphism as recognized in the Raobazhai complex from North Dabie Shan, China, 3

Yang, P. & Rivers, T. Chromium and manganese zoning in pelitic garnet and kyanite: spiral overprint, and oscillatory zoning patterns and the role of growth rate, 455
Yoshida, M. *see* Satish-Kumar, M.
Yui, T. F. *see* Hwang, S. L.

Zeh, A. Inference of a detailed P-T path from pseudosections using metapelitic rocks of variable composition from a single outcrop, Shackleton Range, Antarctica, 329
Zheng, Y. F. *see* Fu, B.